This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations at the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images please do not report the images to the Image Problem Mailbox.

THIS PAGE BLANK (USPTO)



WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:
A01N 43/56, 53/00 // (A01N 43/56, 53:00)

A1

(11) International Publication Number:

WO 95/22902

••

(43) International Publiction Date:

31 August 1995 (31.08.95)

(21) International Application Number:

PCT/EP95/00601

(22) International Filing Date:

20 February 1995 (20.02.95)

(30) Priority Data:

6/52798

27 February 1994 (27.02.94)

. l

(71) Applicant (for all designated States except US): RHONE-POULENC AGROCHIMIE [FR/FR]; 14-20, rue Pierre-Baizet, F-69009 Lyon (FR).

(72) Inventors; and

- (75) Inventors/Applicants (for US only): KODAMA, Hiroshi [JP/JP]; 103-6, Harada, Hashimoto City, Wakayama (JP). WADA, Yasuhiro [JP/JP]; 3-952-7, Higashi Ikejiri, Osaka-Sayama City, Osaka (JP). YAMAGUCHI, Rikio [JP/JP]; 2-5-202, Honmachi, Kawachinagano City, Osaka (JP).
- (74) Agent: BRACHOTTE, Charles; DPI Rhône Poulenc Agrochimie, Boîte postale 9163, F-69263 Lyon Cédex 09 (FR).

(81) Designated States: AM, AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, KE, KG, KP, KR, KZ, LK, LR, LT, LU, LV, MD, MG, MN, MW, MX, NL, NO, NZ, PL, PT, RO, RU, SD, SE, SI, SK, TJ, TT, UA, US, UZ, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG), ARIPO patent (KE, MW, SD, SZ, UG).

Published

With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: SYNERGISTIC TERMITICIDAL COMPOSITION OF PYRETHROID AND N-PHENYL-PYRAZOLE

(57) Abstract

A termite control composition for soil treatment containing 3-cyano-1-(substituted phenyl) pyrazole derivative and a pyrethroid compound as effective ingredients, and a method of controlling pests such as termites using said composition. The termite control composition is improved for soil treatment as well as for the ability to prevent termites from passing through the pesticidally treated layer.

`

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

	A sector	GB	United Kingdom	MR	Mauritania
ΑT	Austria	GE	Georgia	MW	Malawi
ΑU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE.	Ireland	NZ	New Zealand
BG	Bulgaria	iT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Кепуа	RO	Romania
BY	Belarus	KG	Kyrgystan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic	SD	Sudan
CF	Central African Republic	Kr	of Korea	SE	Sweden
CG	Congo	KR	Republic of Korea	SI	Slovenia
CH	Switzerland	KZ	Kazakhstan	SK	Slovakia
CI	Côte d'Ivoire	LI LI	Liechtenstein	SN	Senegal
CM	Cameroon		Sri Lanka	TD	Chad
CN	China	. LK	Luxembourg	TG	Togo
CS	Czechoslovakia	LU	Latvia	T.J	Tajikistan
CZ	Czech Republic	LV		TT	Trinidad and Tobago
DE	Germany	MC	Monaco	UA	Ukraine
DK	Denmark	MD	Republic of Moldova	US	United States of America
ES	Spain	MG	Madagascar	UZ	Uzbekistan
FI	Finland	ML	Mali	VN	Viet Nam
FR	France	MN	Mongolia	•••	
GA	Gabon				

WO 95/22902 PCT/EP95/00601

SYNERGISTIC TERMITICIDAL COMPOSITION OF PYRETHROID AND N-PHENYL-PYRAZOTE

5

10

15

20

25

30

The present invention relates to a termite control composition for soil treatment containing a 3-cyano-1-(substituted phenyl)-pyrazole derivative and a pyrethroid compound as effective ingredients.

The pyrazoles derivatives as effective ingredients of the termite control composition of the present invention are known compounds described in European patent application 295117 as well as in international patent applications WO 93/6089 and 94/21606, which disclose that the compounds have a pesticidal effect on arthropods, vegetable nematodes, protozoan pests, and other pests. Many other pesticidal compounds can be used in combination with N-phenyl pyrazole derivatives. Pyrethroid compounds such as cyfluthrin, cypermethrin, deltamethrin, fenpropathrin, fenvalerate, and permethrin are recited among many possibilities without any reference to any specific effect in any conditions.

A first object of the instant invention is to provide synergistic compositions of 3-cyano-1-(substituted phenyl)-pyrazole derivative.

Another object of the instant invention is to provide specific compositions which have an improved activity against pests, especially against insects.

Another object of the instant invention is to provide specific compositions which have an improved activity against termites.

There are mainly two types of termite control methods: namely, wood application by applying a control agent to wood, and soil treatment by spraying a control agent on the soil and/or under the floor. For existing houses, since the application of the agent to wood is rather difficult, soil treatment is generally used. In many cases, however, termites pass through the treated layer and eat the wood, and, therefore, it is desired to develop a termite control agent which has both the termite control effect and the ability to prevent termites from passing through the pesticidally treated layer.

A further object of the instant invention is to provide a novel termite control composition (preferably for soil treatment) which has a strong termite control effect as well as the ability to prevent termites from passing through the pesticidally treated layer.

5

10

15

20

25

30

It has been found that these goals may be reached by mean of the compositions of the instant invention.

The compositions of the present invention comprise, as effective ingredients, a pyrethroid compound and a compound of formula (I) $1-[4-R^{1} 2.6-(R^{2})p \text{ phenyl}]$ 3-cyano $4-[R^{4}-S(O)_{n}]$ 5-R⁵ pyrazole (I)

wherein:

R¹ is halogen, lower haloalkyl, lower haloalkoxy or SF₅ (lower being an integer from 1 to 4, preferably one),

R² is halogen, the various R² being identical or different,

R⁴ is halogen, lower alkyl or haloalkyl,

R⁵ is halogen, lower alkyl or amino,

n is 0 or 1 or 2; p is 1 or 2 or 3 or 4, preferably 2.

Halo before the name of a radical means that this radical may be substituted by one or more halogen atoms.

A preferred compound of formula (I) is 5-amino-3-cyano-1-(2,6-dichloro-4-trifluoromethylphenyl)-4-trifluoromethylsulphinyl pyrazole.

The compositions of the invention comprise a synergistically amount of active ingredients.

Pyrethroid compounds which can be used in the present invention include all kind of pyrethroids, especially pyrethroids other than cyfluthrin, cypermethrin, deltamethrin, fenpropathrin, fenvalerate, and permethrin. Advantageously, pyrethroids which can be used in the invention are compounds selected from a group consisting of the following pyrethroid compounds, even tough not limited to these pyrethroid compounds:

- 1. Allethrin [dl-3-allyl-2-methyl-4-oxo-2-cyclopentenyl-dl- cis, transchrysanthemate]
- 2. Ethofenprox [2-(4-ethoxyphenyl)-2-methylpropyl-3-phenoxybenzyl ether]
- 3. Cycloprothrin [(RS)-a-cyano-3-phenoxybenzyl (RS)-2,2- dichloro-1-(4-ethoxyphenyl)-cyclopropane carboxylate]
- 4. Cyhalothrin [(RS)-a-cyano-3-phenoxybenzyl (Z)-(1RS, 3RS) 3-(2-chloro-3,3,3-trifluoro-1-propenyl)-2,2-dimethyl- cyclopropane carboxylate]
- 5. Cyfluthrin [(RS)-a-cyano-4-fluoro-3-phenoxybenzyl (1RS, 3RS)-(IRS, 3RS)-3-(2,2-dichlorovinyl)-2,2-dimethyl cyclopropane carboxylate]

15

11.

· • }

- 6. Cypermethrin [(RS)-a-cyano-3-phenoxybenzyl (1RS, 3RS)-(1RS,3SR)-3-(2,2-dichlorovinyl)-2,2-dimethyl cyclopropane carboxylate]
 - 7. Pyrethrin
- 8. Tralomethrin [(S)-a-cyano-3-phenoxybenzyl (1R, 3S)-2,2-dimethyl-3-(1,2,2,2-tetrabromoethyl)-cyclopropane carboxylate]
 - 9. Fenvalerate [(RS)-a-cyano-3-phenoxybenzyl (RS)-2-(4-chlorophenyl)-3-methylbutanoate]
 - 10. Fenpropathrin [(RS)-a-cyano-3-phenoxybenzyl-2,2,3,3-tetramethyl cyclopropane carboxylate]
- 10 11. Flucythrinate [(RS)-a-cyano-3-phenoxybenzyl-(S)-2-(4-difluoromethoxyphenyl)-3-methyl butylate]
 - 12. Permethrin [3-phenoxybenzyl (1RS, 3RS)-(1RS, 3RS)-(2,2-dichlorovinyl)-2,2-dimethyl cyclopropane carboxylate]
 - 13. Bifenthrin [2-methylbiphenyl-3-yl-methyl (Z)-(1RS, 3RS)-3-(2-chloro-3,3,3-trifluoroprop-1-enyl)-2,2-dimethyl cyclopropane carboxylate]
 - 14. Silafluofen [4-ethoxyphenyl-[3-(3-phenoxy-4- fluorophenyl) propyl](dimethyl) silane]
 - 15. Lesmethrin [5-benzyl-3-furylmethyl dl-cis, trans- chrysanthemate]
 - 16. Tefluthrin [2,3,5,6-tetrafluoro-4-methylbenzyl-(1RS)- cis-3-(Z-2-thloro-3, 3, 3-trifluoroprop-1-epyl) 2, 2, dimethyl gyalamanana as the characteristics.
- 20 chloro-3,3,3-trifluoroprop-1-enyl)-2,2-dimethyl cyclopropane carboxylate]
 - 17. Acrinathrin [(S)-a-cyano-3-phenoxybenzyl (Z)-(1R, 3S)-2,2-dimethyl-3-[2-(2,2,2-trifluoro-1-trifluoromethyl ethoxycarbonyl) vinyl] cyclopropane carboxylate]
- Prarethrin [(RS)-2-methyl-4-oxo-3-prop-2-enylcyclopent- 2-enyl (1RS)-cis, trans-2,2-dimethyl-3-(2-methyl prop-1-enyl) cyclopropane carboxylate]
 - 19. Cismethrin [5-benzyl-3-furylmethyl (1R)-trans-2,2- dimethyl-3-(2-methyl prop-1-enyl) cyclopropane carboxylate]
- 20. d-Phenothrin [3-phenoxybenzyl (1RS)-cis, trans-2,2- dimethyl-3-30 (2-methyl prop-1-enyl) cyclopropane carboxylate]
 - 21. Deltamethrin [(S)-a-cyano-3-phenoxybenzyl (1R)-cis-3- (2,2-dibromovinyl)-2,2-dimethyl cyclopropane carboxylate]

€

£ 3

5

10

15

20

25

30

22. Tetramethrin [cyclohex-1-ene-1,2-dicarboximide methyl (1RS, 3RS, 1RS, 3SR)-2,2-dimethyl-3-(2-methyl prop-1-enyl) cyclopropane carboxylate].

The synergistic compositions of the invention are compositions wherein the ratio by weight of the pyrethroid compound to the compound of formula (I) is between 0.1 and 10, preferably between 0.5 and 5.

The synergistic compositions of the invention are compositions, which are most useful for termite control, preferably with soil treatment. Thus, the invention is also directed to a method of control of pests, especially of termites which comprises applying an effective amount of the compositions according to the invention, as herein described.

The liquid compositions of the invention generally comprise 0.001 to 50 % (all percentages are by weight in the instant specification, unless specifically indicated otherwise) of compound of formula (I), preferably from 0.005 % to 10. The concentrated composition which are those used for storage and commercial purpose comprise generally from 1 to 20 % of this compound of formula (I).

When the compositions for soil treatment of the present invention are used for termite control, especially for soil treatment and/or for treating under-floor soil, the quantity of the effective ingredient may be within a range between 0.01 g and 7 g, preferably between 0.1 g and 5 g per square meter. For wood treatment, such as timber or all kind of wood, the method of control of pest, especially of termites, according to the invention is impregnating the wood by mean of a composition as herein before defined.

The application of the compositions of the invention to animals is generally made at 0.1 to 100 mg, preferably at 2 to 20 mg per kilogram of body weight of the animal.

The termite control composition of the present invention has a highly significant termite control effect on houses damaging termites, for example Coptotermes formosanusus, (Shiraki), Reticulitermes speratus (Kolbe), Odontotermes formosanus (Shiraki), and Cryptotermes domesticus (Haviland), as well as the ability to prevent termites from passing through pesticidally treated materials. The composition may be applied to or adsorbed in building

10

15

20

25

30

materials, furniture, leather, fabrics, vinyl coated articles, electric wires, or cables.

For the efficient use of the termite control composition for material or soil treatment of the present invention, the composition may be dissolved, suspended, mixed, adsorbed, or adhered on an appropriate solid and/or liquid vehicles (this word is used as a synonym of "marrier") according to the formulation generally used, together with auxiliary agents if required. This composition may be formulated into forms suited to the object of use, for example, an oil solution, emulsion, water solution, powder, granules, wettable powder, aerosol, smoking agent, or flowable agent.

Solid vehicles used in the present invention include, for example, clays such as kaolin, bentonite, and acid clay; talc materials such as talc and pyrophylite; siliceous materials such as diatomaceous earth, silica sand, mica, synthetic silicates, and high dispersion synthetic silicates; and inorganic mineral powders such as pumice and sand. Liquid vehicles include, for example, alcohols such as methanol, ethanol, and ethylene glycol; ketones such as acetone, methylethyl ketone, and cyclohexanone; ethers such as ethyl ether, dioxane, tetrahydrofuran, and cellosolve; aliphatic hydrocarbons such as kerosene; aromatic hydrocarbons such as benzene, toluene, xylene, solvent naphtha, cyclohexane, and methyl naphthalene; and halogenated hydrocarbons such as chloroform, carbon tetrachloride, and chlorobenzene. These solid or liquid vehicles may be used alone or in combination.

Auxiliary agents used in the present invention include propellants, surface-active agents, fixing agents, dispersing agents, thickening agents, and bonding agents. Propellants include, for example, liquefied petroleum gas, dimethyl ether, and fluorocarbons. Surface-active agents include, for example, polyoxyethylene alkylaryl ether, polyoxyethylene sorbitane monolaurate, alkylallyl sorbitane monolaurate, alkylbenzene sulfonate, alkylnaphthalene sulfonate, lignin sulfonate, and sulfuric acid ester saits of higher alcohols. These surface-active agents may be used alone or in combination.

Fixing agents, dispersing agents, thickening agents, and bonding agents include, for example, casein, gelatine, starch, carboxymethyl cellulose, alginic acid, agar, polyvinyl alcohol, polyethylene glycol, polysodium acrylate, gum arabic, and xanthane gum, which may be used if required.

€ }

()

5

10

15

20

25

The termite control composition for soil treatment of the present invention may contain co-operating agents such as sinepyrin 500, piperonyl butoxide, and S-421.

The termite control composition of the present invention may be used not only for treating the surface or the interior of surrounding soil or under-floor soil for protecting wood such as trees, fences, and railroad ties, or buildings such as houses, warehouses, and industrial plants, but also in timber products such as plywood and furniture, wood products such as particle boards and half boards, and vinyl products such as coated wires and sheets.

The present invention also includes the aspects for preventive uses in places where the breeding of termites is expected as well as the above aspects.

Emulsifying agents which may be used are one or more of those selected Examples of non-ionic from non-ionic or anionic emulsifying agents. mentioned include which may be agents emulsifying polyoxyethylenealkylphenylether, polyoxyethylenealkylether, polyethyleneglycol fatty ester, sorbitan fatty ester, polyoxyethylene sorbitan fatty ester, polyoxyethylenepolyoxypolyoxyethylenesorbitol fatty ester, propylenealkylether. Examples of anionic emulsifying agents which may be mentioned include alkyl sulphates, polyxyethylenealkylether sulphates, sulfosuccinates, taurine derivatives, sarcosine derivatives, phosphoric esters, mixture the like. Α consisting and alkylbenzenesulfonates calcium alkylbenzenesulfonate polyoxyethylenestyrylphenylether and preferred. These emulsifying agents may be used in an amount of 5 to 20 weight parts per 100 weight parts of the composition of the present invention.

Compositions of the present invention may be prepared by any of conventional procedures suitable for emulsifiable concentrates.

The present invention is illustrated by the following examples, comparative examples and experimental examples, but is not limited to the details thereof.

30

EXAMPLES

Typical embodiments and test examples of the present invention will be shown below, but the present invention is not limited to these embodiments.

In the description of these embodiments, the term "part(s)" means part(s) by weight. The test method of embodiments was in accordance with Japan Wood Preservation Association Standards No. 13, 1987, "Standards for Testing Methods of Termite Controlling Effects and Performance of Termite Controlling Agents for Soil Treatment (I)."

	Embodiment 1	
	Compound A	8.00 parts
	Bifenthrin	2.00 parts
10	Propylene glycol	5.00 parts
	Anionic surface-active agent	1.00 part
	Non-ionic surface-active agent	5.00 parts
	Xanthane gum	0.25 parts
	Silicone defoaming agent	0.50 parts
15	Water	78.25 parts

The above materials are uniformly mixed and suspended to form a flowable agent.

20	Embodiment 2	
	Compound A	1.00 part
	Bifenthrin	0.40 parts
	Propylene glycol	5.00 parts
	Anionic surface-active agent	1.00 part
25	Non-ionic surface-active agent	5.00 parts
	Xanthane gum	0.40 parts
	Silicone defoaming agent	0.50 parts
	Water	86.70 parts

The above materials are uniformly mixed and suspended to form a flowable agent.

Embodiment 3

Compound A 4.00 parts

Permethrin	20.00 parts
Anionic surface-active agent	10.00 parts
N-methyl-2-pyrrolidone	10.00 parts
Aromatic solvent	56.00 parts

10

15

20

25

30

The above materials are uniformly dissolved to form an emulsion.

Test example 1

A testing apparatus was used in which two glass cylinders (each about 5 cm in diameter and about 12 cm in height) are connected at about 2 cm from the bottom with a glass tube about 1.5 cm in diameter and about 10 cm in length (graduated at 5-mm intervals for 5 cm at the center). The one glass cylinder was filled with about 60 g of non-treated soil adjusted to a moisture content of about 25%, and the other glass cylinder was filled with about 0.29 g of filter paper (5.5 mm in diameter). The glass tube was filled, at a thickness of 1 cm, with test soil prepared by mixing 2.4 g of non-treated sandy soil which had passed through a 20-mesh screen and had been dried at 60°C until a constant weight had been achieved, with 0.45 g of the solution of the test composition of a predetermined concentration, and allowing the mixture to stand for 3 weeks in a room without weather resistance treatment. The glass tube was connected to the glass cylinders.

In the glass cylinder filled with non treated soil, placed were 200 workers and 20 soldiers of *Coptotermes formosanus Shiraki*, and the testing apparatus was kept at a constant temperature chamber controlled at a temperature of 28°C, and a relative humidity of 70% or higher.

The bored depth (millimetres = mm), damage by eating, and the termite control effect were determined 14 days after insects were put in place, and the effect was evaluated in accordance with the following criteria:

Damage by eating:

+ 10% or less compared with non treatment

++ 11-50% or less compared with non treatment

+++ 51% or more compared with non treatment

Termite control effect:

A 100% lethal

B 80-99% lethal

C 50-79% lethal

D 49% lethal or less

5 Results are shown in Table 1:

	T		Bored depth	Damage by	Termite
	Test	Concentration (%)	(mm) 14	eating 14	control effect
	composition		DAT	DAT	14 days later
	compound A +	0.01 + 0.01	3	None	Α
	bifenthrin	0.01 + 0.005	2	None	A
Em-		0.005 + 0.01	3	None	A
bodi-		0.005 + 0.005	7	None	A
ments		0.0025 + 0.01	5	None	A
mones		0.0025 + 0.005	9	None	A
	·	0.00125 + 0.01	7	None	A
		0.00125 + 0.005	9	None	A
	Compound A	0.02 + 0.05	2	None	A
	+ fenvalerate	0.005 + 0.05	6	None	A
		0.02 + 0.01	1	None	A
		0.005 + 0.01	3	None	Α
	Compound A	0.02 + 0.025	0	None	A
	+	0.005 + 0.025	0	None	A
	cypermethrin	0.02 + 0.005	2	None	A
		0.005 + 0.005	3	None	A
	Compound A	0.02 + 0.1	0	None	A
	+ permethrin	0.005 + 0.1	6	None	A
		0.02 + 0.02	8	None	A
Em-	Compound A	0.02 + 0.01	6	None	A
bodi-	+ tralomethrin	0.005 + 0.01	4	None	A
ments		0.02 + 0.002	2	None	A
		0.005 + 0.002	8	None	A
	Compound A	0.02 + 0.05	8	None	A
	+ fluvalinate				
	Compound A	0.02 + 0.025	6	None	A
,	+ cyfluthrin	0.005 + 0.025	6	None	A
		0.02 + 0.005	6	None	A

Compound A	0.02 +	0.1	2	None	A
+ ethofenprox	0.005 +	0.1	8	None	A
	0.02 +	0.02	4	None	A
	0.005 + 0.03	2	7	None	A
Compound A	0.02 +	0.05	6	None	A
+ silafluofen	0.005 +	0.05	5	None	Α
	0.02 + 0.01		7	None	A

	Test			-	Damage by	į.	
	composition	Concentration (%)		14	eating	control effect	l
	Composition		days la	ter	14 days later	14 days later	
	Compound A	0.02	>	10	+	A	
		0.01	>	10	+ .	Α	
		0.005	> 10		++	A	
	Bifenthrin	0.01	>	10	+++	D	
ļ		0.005	> 10		+++	D	
	Fenvalerate	0.05	>	10	+	A	
	• .	0.01	> 10		+++	D	
	Cyperme-thrin	0.025	>	10	None	D €	1
Com-		0.005	> 10	•	+++	D	
parati- ve							
exam-	Permethrin	0.1	>	10	None	D	
ples		0.02	> 10		+++	D	
	Tralomethrin	0.01	>	10	+++	D	
		0.002	> 10		+++	D	
	Fluvalinate	0.05	> 10		+++	D	
	Cyfluthrin	0.025	>	10	None	D	
	0.005	0.005	> 10		+++	D	
	Ethofenprox	0.1	>	10	None	D (`.
		0.02	> 10		+++	D	_
	Silafluofen	0.05	> .	10	+	A	
		0.01	> 10		+++	D	_
	Non-treatment	·	> 10		+++	D	_

10

15

25

Claims:

1) A pesticidal composition which comprises, as effective ingredients, a pyrethroid and a compound of formula (I) $1-[4-R^1\ 2,6-(R^2)p\ phenyl]$ 3-cyano $4-[R^4-S(O)_n]$ 5-R⁵ pyrazole (I)

wherein R¹ is halogen, lower haloalkyl, lower haloalkoxy or SF₅ (lower being an integer from 1 to 4, preferably one); R² is halogen, the various R² being identical or different; R⁴ is halogen, lower alkyl or haloalkyl; R⁵ is halogen, lower alkyl or amino; n is 0 or 1 or 2; p is 1 or 2 or 3 or 4, preferably 2.

- 2) A composition according to claim 1 wherein the effective ingredients are present in the composition in a synergistically amount.
- 3) A composition according to any one of claim 1 or 2 wherein the ratio by weight of pyrethroid compound to compound of formula (I) is between 0.1 and 10, preferably between 0.5 and 5.
- 4) A composition according to any one of claim 1 to 3 which comprises between 0.001 % to 50 % of compound of formula (I), preferably between 0.005 and 10 %.
- 5) A composition according to any one of claim 1 to 4 which 20 comprises between 1 and 20 % of compound of formula (I).
 - 6) A composition according to any one of claim 1 to 5 when used against termites.
 - 7) A composition according to any one of claim 1 to 6 wherein the compound of formula (I) is the 5-amino-3-cyano-1-(2,6-dichloro-4-trifluoromethylphenyl)-4-trifluoromethylsulphinyl pyrazole.
 - 8) A composition according to any one of claim 1 to 7 wherein the pyrethroid compound is other than cyfluthrin, cypermethrin, deltamethrin, fenpropathrin, fenvalerate, and permethrin
- 9) A composition according to any one of claim 1 to 7 wherein the pyrethroid compound is selected from a group consisting of Allethrin, Ethofenprox, Cycloprothrin, Cyhalothrin, Cyfluthrin, Cypermethrin, Pyrethrin, Tralomethrin, Fenvalerate, Fenpropathrin, Flucythrinate, Permethrin, Bifenthrin, Silafluofen, Lesmethrin, Tefluthrin, Acrinathrin, Prarethrin, Cismethrin, d-Phenothrin, Deltamethrin, Tetramethrin.

10

- 10) A method for controlling and preventing termites from passing through a pesticidally treated layer of soil or material whereby the said layer is treated by mean of an affective amount of a composition according to any one of claim 1 to 9
- 11) A method for controlling termites by soil treatment using 0.1 g/m^2 to $5 g/m^2$ of a termite control composition according to any one of claim 1 to 9
- 12) A method for controlling pests of animals wherein the animal is trated by mean of a composition according to any one of claim 1 to 9, the rate of application being preferably comprised between 0.1 and 100 mg per kilo of body weight of the animal, preferably between 2 and 20 mg/kg.

INTERNATIONAL SEARCH REPORT



nternation Application No.

PCT/EP 95/00601

A. CLASSIFICATION OF SUBJECT MATTER IPC 6 A01N43/56 A01N53/00 //(A01N43/56,53:00)

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols) \cdot IPC 6 A01N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EP,A,0 435 609 (RHONE POULENC AGRIC LTD) 3 July 1991 see column 1, line 22-50 EP,A,0 295 117 (MAY & BAKER LTD.) 14 December 1988 Cited in the application. See: p. 5, 1. 4, 5 and p. 7, 1. 64-p. 8, 1. 5		MENTS CONSIDERED TO BE RELEVANT	Relevant to claim No.
3 July 1991 see column 1, line 22-50 EP,A,O 295 117 (MAY & BAKER LTD.) 14 December 1988 Cited in the application. See: p. 5, 1. 4, 5 and p. 7, 1. 64-p. 8, 1. 5 WO,A,93 06089 (ICI PLC) 1 April 1993 Cited in the application.	Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
December 1988 Cited in the application. See: p. 5, 1. 4, 5 and p. 7, 1. 64-p. 8, 1. 5 WO,A,93 06089 (ICI PLC) 1 April 1993 Cited in the application.	A	3 July 1991	1-12
Cited in the application.	A	December 1988 Cited in the application. See: p. 5, l. 4,	1-12
	A	Cited in the application.	1-12

Y Further documents are listed in the continuation of box C.	X Patent family members are listed in annex.
* Special categories of cited documents: 'A' document defining the general state of the art which is not considered to be of particular relevance 'E' earlier document but published on or after the international filing date 'L' document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) 'O' document referring to an oral disclosure, use, exhibition or other means 'P' document published prior to the international filing date but later than the priority date claimed	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "&" document member of the same patent family
Date of the actual completion of the international search	Date of mailing of the international search report
11 July 1995	0 8. 08. 95
Name and mailing address of the ISA	Authorized officer
European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax (+31-70) 340-3016	Klaver, J



Internation No PCT/EP 95/00601

	20 00 00 CMANT	PCI/EP 9	5/00601
C.(Continua Category *	tion) DOCUMENTS CONSIDERED TO BE RELEVANT Citation of document, with indication, where appropriate, of the relevant passages		Relevant to claim No.
Caugory			
A	BRIGHTON CROP PROTECTION CONFPEST AND DISEASES, no. 1, 1992 pages 29-34, F.COLLIOT, K.A.KUKOROWSKI, D.W.HAWKINS & D.A. ROBERTS 'Fipronil: a new soil and foliar broad spectrum insecticide.' see table 2		1-12
	·		
		٠	
	·	•	
	·		
			·
		,	
			•
			,

Intomnation on patent family members

Internatio \

Internatic (pplication No PCT/EP 95/00601

Patent document cited in search report	Publication date	Patent memb		Publication date
EP-A-0435609	03-07-91	AU-B-	640433	26-08-93
		AU-A-	6816590	27-06-91
		CN-A-	1052985	17-07-91
		CZ-A-	9006463	18-01-95
		DE-D-	69006840	31-03-94
		DE-T-	69006840	30-06-94
,		EG-A-	19199	30-08-94
		ES-T-	2063295	01-01-95
		HK-A-	80494	19-08-94
		JP-A-	4210604	31-07-92
		0A-A-	9335	15-09-92
	•	PL-B-	165943	31-03-95
		US-A-	5270043	14-12-93
EP-A-295117	14-12-88	AU-B-	618266	19-12-91
		AU-A~	1755488	15-12-88
	•	CA-A-	1330089	07-06-94
		CN-B-	1027341	11-01-95
	•	EG-A-	19113	30-11-94
		FI-A-	951839	18-04-95
		IL-A-	105138	26-08-94
		JP-A-	63316771	26-12-88
		NO-B-	175367	27-06-94
		OA-A-	8880	31-10-89
		· US-A-	5232940	03-08-93
WO-A-9306089	01-04-93	AU-A-	2541392	27-04-93
		CA-A-	2119385	01-04-93
		CZ-A-	9400712	13-07-94
		EP-A-	0605469	13-07-94
•		HU-A-	66735	28-12-94
		JP-T-	7500319	12-01-95
		NZ-A-	244265	28-03-95
		TR-A-	26511	15-03-95
	•	ZA-A-	9206785	09-06-93

THIS PAGE BLANK (USPTO)

IDS Copy for New MARZE Appln. Entered US Nat'l Phase 11/10/98

BURNS, DOANE, SWECKER & MATHIS

GEORGE MASON BUILDING
WASHINGTON & PRINCE STREETS
POST OFFICE BOX 1404
ALEXANDRIA, VIRGINIA 22313
IDS filed 11/10/98
Atty Docket 022650-498